

In the Claims

~~Sub 1~~
~~1. (amended) A self watering tray for a plant pot, comprising:~~
~~a plate, the plate having side walls and a bottom wall, the plate holding~~
~~fluid; and~~
~~at least one wick accompanied with the plate which provides a fluid~~
~~conduit capable of sucking fluid from the plate; and~~
~~at least one support coupled to the plate for supporting a plant pot.~~
~~one end of the at least one wick being inserted into a bottom hole of the~~
~~plant pot, the plant pot directly sits on the supports, the other end of the at least one~~
~~wick reaching to the bottom of the plate, between side walls of pot and plate having a~~
~~clearance/distance, so that air flow/ventilate under the plant pot thoroughly.~~

~~23. (amended) The tray of claim 1, further comprising a tube, the wick being inserted into~~
~~the tube.~~

~~24. (amended) A self watering tray for a plant pot, comprising:~~
~~a plate, the plate having side walls and a bottom wall, the plate holding~~
~~fluid, the side walls support a plant pot; and~~
~~the side walls having at least one notch to let air flow/ ventilate in and out~~
~~of the plate; and~~
~~at least one wick accompanied with the plate which sucking fluid from the~~
~~plate~~

~~Sub 2~~
~~25. (amended) A self watering tray for a plant pot, comprising:~~
~~a plate, the plate having side walls and a bottom wall, the sharp of the~~
~~plate is different with a plant pot, part of the side walls support a plant pot; and~~
~~at least one wick or the wick with a tube accompanied with the plate~~

E 2
Encl.
which provides a fluid conduit capable of sucking fluid from the plate.

sub D3
27. (amended) A self watering tray for a plant pot, comprising:

a plate, the plate having side walls and a bottom wall, the plate holding fluid; and

E 3
at least one leg coupled to the plate, the at least one leg having two sections, up section and low section, the up section is smaller than the low section, a shoulder between the up section and the low section supporting a plant pot.

28. (amended) The tray of claim 25, further comprising notch(s), at least one notch disposed on the up edge of the side walls of the plate for holding a plant pot.

29. (amended) The tray of claims 1, 24, and 27, further comprising a fluid intake lip, the fluid intake lip disposed on the side walls of the plate, so that fluid can easy be added into the plate through the fluid intake lip.

E 4
32. (amended) The tray of claims 24 and 25, wherein the at least one wick disposed in a tube which sucking fluid from the plate.

40. (amended) A self watering apparatus, comprising:

E 5
cont.
a plate, the plate having side walls and a bottom wall, and the plate having a first area for holding fluid and a second area for holding a planting material, the first and second area are separated by a cover, the side walls beneath the cover and the bottom define the first area, the side walls above the cover and the cover define the second area; and

the cover having holes to let air ventilate and water draining out of second area to first area, and at least one leg extending to the first and second area from the cover, the at least one leg filled with a water sucking material which provides a fluid

E5
Could.

conduit capable of draining fluid from the second area to the first area and sucking fluid from the first area to the second area; and

the side wall beneath the cover includes a fluid intake mouth, additional fluid can be added into the first area through the fluid intake mouth; and

the side wall beneath the cover having at least one opening to let air flow in and out of the first area.

E6 sub 1

44. The tray of claim 27, wherein the at least one leg filled with a fluid sucking material which provides a fluid conduit capable of draining fluid into the plate and sucking fluid from the plate.

45. (amended) The tray of claim 27, wherein a wick being attached on the up section, part of the wick with the up section being inserted into a bottom hole of a plant pot, left part of the wick reaching to the bottom of the plate.

E7 sub 1

46. (new) The tray of claim 25, further comprising a rod, at least one rod disposed on the up side of the side walls of the plate for holding a plant pot.

In the Claims

1. (amended) A self watering tray for a plant pot, comprising:

a plate, the plate having side walls and a bottom wall, the plate holding fluid; and

at least one wick accompanied with the plate which provides a fluid conduit capable of sucking fluid from the plate (to a plant pot); and

at least one support coupled to the plate for supporting a plant pot.

one end of the at least one wick being inserted into a bottom hole of the plant pot, the plant pot directly sits on the supports, the other end of the at least one wick reaching to the bottom of the plate, between side walls of pot and plate having a clearance/distance, so that air flow/ventilate under the plant pot thoroughly.

23. (amended) The tray of claim 1, (wherein the at least one wick disposed in) further comprising a tube, (one end of) the (tube with) wick being inserted into (a bottom hole of the plant pot, another end of) the tube (reached to the bottom of the plate, the wick sucking fluid from the plate to the plant pot).

24. (amended) A self watering tray for a plant pot, comprising:

a. plate, the plate having side walls and a bottom wall, the plate holding fluid, the side walls support a plant pot; and

the side walls having at least one notch to let air flow/ventilate in and out of the plate; and

at least one wick accompanied with the plate which sucking fluid from the plate(, one end of the at least one wick being inserted into a bottom hole of the plant pot, another end reached to the bottom of the plate and sucking fluid from the plate to the plant pot).

25. (amended) A self watering (apparatus) tray for a plant pot, comprising:

a plate, the plate having side walls and a bottom wall, the sharp of the plate is different with (the) a plant pot, part of the side walls support (the) a plant pot (between angles of the plate and side wall of the pot having a clearance/distance and an opening area when the plant pot sits on the plate, so that air flow/ventilate well under the plant pot and water can be added to the plate easily through the opening area); and

at least one wick or the wick with a tube accompanied with the plate which provides a fluid conduit capable of sucking fluid from the plate.

27. (amended) A self watering tray for a plant pot, comprising:

a plate, the plate having side walls and a bottom wall, the plate holding fluid; and

at least one leg coupled to the plate, the at least one leg having two sections, up section and low section, the up section is smaller than the low section, a shoulder between the up section (of the at least one leg being inserted into a bottom hole of the a plant pot), and the low section supporting (the) a plant pot.

28. (amended) The tray of claim 25, (wherein the side walls include) further comprising notch(s), at least one notch disposed on the up edge of the side walls of the plate for (fitting/) holding a plant pot.

29. (amended) The tray of claims 1, 24, and 27, (wherein) further comprising a fluid intake lip, the fluid intake lip disposed on the side walls of the plate (include a fluid intake lip, additional), so that fluid can be ease added into the plate through the fluid intake lip.

32. (amended) The tray of claims 24 and 25, wherein the at least one wick disposed in a tube which sucking fluid from the plate(, one end of the tube with wick being inserted into

a bottom hole of the plant pot, another end reached to the bottom of the plate).

40. (amended) A self watering apparatus, comprising:

a plate, the plate having side walls and a bottom wall, and the plate having a first area for holding fluid and a second area for holding a planting material, the first and second area are separated by a cover, the side walls beneath the cover and the bottom define the first area, the side walls above the cover and the cover define the second area; and

the cover having holes to let air ventilate and water draining out of second area to first area, and at least one leg extending to the first and second area from the cover, the at least one leg filled with a water sucking material which provides a fluid conduit capable of draining fluid from the second area to the first area and sucking fluid from the first area to the second area; and

the side wall beneath the cover includes a fluid intake mouth, additional fluid can be added into the first area through the fluid intake mouth; and

the side wall beneath the cover having at least one opening to let air flow in and out of the first area.

44. The tray of claim 27, wherein the at least one leg filled with a fluid sucking material which provides a fluid conduit capable of draining fluid into the plate and sucking fluid from the plate.

45. (amended) The tray of claim 27, wherein a wick being attached on the up section, part of the wick with the up section being inserted into a bottom hole of (the) a plant pot, left part of the wick reached to the bottom of the plate.

46. (new) The tray of claim 25, further comprising a rod, at least one rod disposed on the up side of the side walls of the plate for holding a plant pot. (part of claim 28)